

Conservative Treatment of Medial Meniscus Tear through Ayurveda: A Case Study

MAHESH SHARMA¹, SOURABH DESHMUKH², NITIKA SENGER³

ABSTRACT

Meniscal tears are common knee injuries caused by acute trauma in younger individuals and degenerative changes in older adults, often linked to osteoarthritis. The menisci play a crucial role in shock absorption, load distribution, and knee joint stability. In Ayurveda, meniscal tears can be correlated with *Sira Snayu Gata Vata* (vascular and ligamentous disorder). A 47-year-old male presented with pain, swelling, tenderness, and restricted movement in the right knee for six months. He was advised to undergo Magnetic Resonance Imaging (MRI) investigation by a physician, which revealed a medial meniscus tear in the right knee joint. In clinical examinations, the McMurray test, Apley grind test, and the bounce home test were positive. Ayurvedic treatments, including *Shodhan* (bio-purification) and *Shaman* (palliative) therapies, were administered as an alternative to corticosteroids, aimed at reducing potential complications. This study evaluates the effectiveness of Ayurvedic treatment and rehabilitation strategies in improving functional outcomes for meniscal tears. In cases of medial meniscus injury, meniscectomy is often performed surgically. This case study demonstrates significant improvement in the assessment parameters of medial meniscus tears with Ayurvedic treatment and rehabilitation therapies, highlighting their potential as a non-invasive therapeutic approach for meniscal injuries.

Keywords: Knee injury, Meniscectomy, Osteoarthritis, Rehabilitation, *Sira snayu gata vata*

CASE REPORT

A 47-year-old male patient presented with complaints of pain, swelling, tenderness, and limited range of motion in the right knee joint for six months. He had a history of falling from a bike six months prior. He was diagnosed with a medial meniscal tear of the right knee joint through an MRI report. He had taken diclofenac 100 mg but did not experience relief, prompting his admission to the Ayurvedic hospital for further treatment.

The patient had no history of hypertension, diabetes, thyroid dysfunction, tuberculosis, asthma, or other allergic illnesses; however, there was a history of a fall from a bike. Family and medical history were not significant. Personal history revealed a mixed diet, tea consumption, disturbed sleep, and regular bowel movements. There was no significant surgical history.

Examination of patient: The pulse rate was 78 beats per minute, indicating *Vata-Pitta* dominance. The frequency of micturition was 4-5 times per day, which was normal (*Samyak*). Bowel movements were regular and in a natural state (*Prakrita*). The tongue appeared clean (*Niraam*). The sound of speech was clear (*Shapasth*). The sense of touch was neutral, neither hot nor cold (*Anushnasheet*). Vision was normal (*Prakrita*). The body build was medium (*Madhyam*) [Table/Fig-1].

S. No.	Examination	Observation
1.	<i>Nadi</i> (Pulse rate)	78 times/minute, <i>Vata pitta</i>
2.	<i>Mutra</i> (Frequency of micturition)	4-5 times per day, <i>Samyak</i>
3.	<i>Mala</i> (Bowel)	Regular, <i>Prakrita</i>
4.	<i>Jihva</i> (Tongue)	<i>Niraam</i>
5.	<i>Shabda</i> (Sound)	<i>Shapasth</i>
6.	<i>Sparsha</i> (Touch)	<i>Anushnasheet</i>
7.	<i>Drik</i> (Vision)	<i>Prakrita</i>
8.	<i>Akriti</i> (Body built)	<i>Madhyam</i>

[Table/Fig-1]: Ashthavidha Pariksha (Eight folds of examinations).

General examination: Upon general examination, blood pressure was 130/80 mmHg, respiratory rate was 16/min, pulse rate was 78/min, and temperature was 98.6°F, all within normal limits. The

McMurray test, Apley grind test, and bounce home test were positive on knee examination. Medial Collateral Ligament (MCL) injury, Patellofemoral Pain Syndrome (PFPS), and plica syndrome were considered differential diagnoses for a medial meniscus tear. However, based on the MRI report, the final diagnosis confirmed a medial meniscus tear of the right knee joint.

The patient was admitted to the hospital to receive Ayurvedic treatments, applying *Vata vyadhi* treatment principles.

1. *Shodhan* treatment (bio-purification treatment)
2. *Shaman* treatment (curative treatment)

Shodhan treatment (bio-purification): The treatment plan integrates Ayurvedic therapies with modern physiotherapy to provide a holistic approach to knee rehabilitation. The *Purva Karma* (pre-procedure) stage prepares the body with oil massage and medicated sudation made with boiling rice and milk. The *Pradhan Karma* (main procedure) phase focuses on detoxification through medicated enemas, nourishment, and pain management. Ayurvedic therapies were utilised to promote healing and mobility. This regimen was designed to reduce inflammation, improve joint function, and slow down the degenerative process [Table/Fig-2].

S. No.	Procedure	Duration
1.	Purva Karma (pre-procedure): Local <i>Snehan</i> with <i>Murivenna taila</i> Followed by <i>Shashtik shali pinda swedan</i> on the right knee	15 days
2.	Pradhan Karma: (main procedure) <i>Anuvasan Basti:</i> <i>Murivenna taila</i> (60 mL) <i>Niruha Basti:</i> <i>Panchtika ksheer basti</i> (350 mL) Basti Pratyagaman Kala: <i>Anuvasan basti:</i> avg. 8-9 hours (Retention time) <i>Niruha basti:</i> avg. 15-20 mintues • <i>Janu dhara</i> with <i>Dashmoola taila</i> on the right knee • <i>Janu basti</i> with <i>Murivenna taila</i> on the right knee	15 days
3.	Upnaha Swedan on the right knee joint Physiotherapy: Transcutaneous Electrical Nerve Stimulation (TENS) Proprioceptive Neuromuscular Facilitation (PNF)	30 days

[Table/Fig-2]: *Shodhan Chikitsa* (bio-purification).

Basti ingredients (Medicated enema): The table outlines the ingredients used in the oil enema and medicated enema, including honey, rock salt, oil, *Withania somnifera* (Ashwagandha), and fennel,

along with a decoction made from a combination of five drugs mixed with milk [Table/Fig-3].

S. No.	Basti	Ingredients	Dose	Days
1	Anuvasna basti (oil enema)	Murivenna taila	60 mL	6 days
2	Niruh basti (medicated enema)	Madhu (Honey)- 40 mL Sandhav Lavan (Rock salt)- 10 gm Murivenna taila- 50 mL Shatpushpa churna, ashwagandha churna kalka (paste)- 20 gm Cap shilajeet- 4 cap Panchtikta bharad kwath (decoction)- 100 mL Milk- 100 mL Total quantity=320 mL	320 mL	9 days

[Table/Fig-3]: Basti Ingredients (Medicated enema).

N=Niruh basti (Medicated enema)

A=Anuvasan basti (oil enema)

The provided table illustrates a pattern over 15 days, with "A" denoting *Anuvasan basti* (oil enema) and "N" denoting *Niruh basti* (medicated enema) in a specific sequence. Specifically, "A" *Anuvasan basti* (oil enema) is administered on Days 1, 4, 7, 10, 13, and 15, while "N" *Niruh basti* (medicated enema) is recorded on the remaining days [Table/Fig-4].

Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
A	N	N	A	N	N	A	N	N	A	N	N	A	N	A

[Table/Fig-4]: Sequences of enema.

Shaman treatment (curative treatment): The table outlines an oral medication regimen designed to support musculoskeletal health or joint degeneration. The prescribed medications aim to reduce inflammation, improve bone strength, and support nerve function [Table/Fig-5].

S. No.	Medications (Orally)	Dose	Anupan and frequency	Duration
1.	Cap Palsinuron	1 cap	Twice a day after food with water	2 months
2.	Maharasnadi kwath	20 mL	Twice a day before food with equal amount of water	2 months
3.	Lakshadi Guggulu	500 mg	2 tabs twice a day after food with water	2 months
5.	Cap Gandha taila	2 cap	Twice a day after food with milk	2 months

[Table/Fig-5]: Shaman treatment (curative treatment).

On follow-up after two months: On follow-up after two months, the table presented a comparative analysis of various clinical parameters before and after treatment, indicating significant improvement in the patient's condition, particularly in pain, joint function, and mobility [Table/Fig-6] [1-5].

S. No.	Parameters	Pre-treatment	Post-treatment
1.	Pain [4]	VAS -7	VAS -1
2.	Tenderness [5]	Present (Grade 3)	Absent (Grade 0)
3.	Swelling [5]	Present (Grade 3)	Absent (Grade 0)
4.	Range of movement [5]	Restricted flexion of right knee- Grade 3 Extension of right knee- Grade 2	Marked improved flexion of right knee- Grade 1 Extension of right knee- Grade 1
5.	Walking time (50 steps)	1 min	20 second
6.	McMurray test [1]	Positive	Negative
7.	Apley grind test [2]	Positive	Negative
8.	Bounce home test [3]	Positive	Negative

[Table/Fig-6]: Comparative analysis of various clinical parameters before and after treatment [1-5].

VAS: Visual analogue scale

DISCUSSION

The prevalence of meniscal tears is approximately 12% to 14%, with an estimated incidence of 61 cases per 100,000 people [6]. Choosing the best course of treatment can be challenging and depends on several factors, including an understanding of the meniscus's vascularity, anatomical structure, and tear pattern. Evidence demonstrates the effectiveness of non-operative treatment, especially in the short term and in cases where osteoarthritis is present.

This case study is important because it supports Ayurvedic treatments, such as *Shaman* (curative) and *Shodhan* (bio-purification), which may help decrease reliance on harmful corticosteroids and reduce the risk of complications. Some previous studies, including their treatments and conclusions, are mentioned in [Table/Fig-7] with references [7-9]. In presenting this case study, a medicated enema and *Upanaha Swedana* (sudation) were primarily used, which were lacking in previous studies. This approach shows significant results in all assessment parameters [Table/Fig-6] concerning medial meniscus tears within two months.

Action of *Shodhan* (bio-purification) and *Shaman* (curative) treatment:

Murivenna oil massage for ligament tears involves a combination of anti-inflammatory, analgesic, tissue-regenerating, and circulation-enhancing effects. By reducing inflammation, alleviating

Author name	Case description	Treatment	Conclusion
Meghna PP et al., [7]	A 22-year-old male presented complaints of pain and slight oedema in the right knee joint. He had a history of falls 2 months back	<i>Lepana, jambirapinda swedan, tailadhara</i> along with <i>lakshadi guggulu</i> and orally ayurvedic drugs for 3 months	Significant improvement in pain and oedema in the right knee joint
Ruparela SJ et al., [8]	A 38-year-old female came with pain and inflammation in her right knee joint with difficulty in walking for 5 years	<i>Janu Basti</i> with <i>murivenna taila, gokshur guggulu, navjivan rasa, shatavari</i> powder orally for 30 days	Significant relief in pain, inflammation and Range of Motion (ROM) of the right knee joint
Pratap Shankar KM et al., [9]	Twenty cases diagnosed with knee ligament injuries ranging from partial to complex ones	<i>Dasamoola Kashaya Dhara, Lepana with Nagaradi choornam, Bandana with Murivenna oil for 7 days Rasnasaptaka kashaya Yogaraja Guggulu</i> for 3 months	There was statistically significant relief in KOOS and IKDC scores and improved joint stability
Present study	A 47-year-old male patient presented with complaints of pain, swelling, tenderness, and limited range of motion in the right knee joint for six months. He had a history of falling from a bike before six months	Local <i>Snehan</i> (oleation) with <i>murivenna taila, Upnaha swedan, medicated enema, Janubasti</i> with <i>murivenna taila, physiotherapy and oral ayurvedic medications</i> for two months	Patient show significant improvement in assessing parameters like pain, range of motion, and in assessing tests

[Table/Fig-7]: Previous studies with treatment and conclusion of medial meniscus tear [7-9].

pain, promoting tissue repair, and improving mobility, *Murivenna* oil supports the healing process of ligament tears. It can serve as an effective adjunct treatment in Ayurvedic care for soft tissue injuries [10].

Shashrika Shali Pinda Sweda works through a combination of nourishing, anti-inflammatory, analgesic, and rejuvenating actions. It provides deep tissue nourishment, reduces pain and inflammation, improves circulation, and strengthens muscles and joints. By balancing *Vata* and *Pitta* doshas, enhancing tissue repair, and promoting overall joint and muscle health, it is an effective therapy

for managing musculoskeletal and neurological conditions such as arthritis, ligament injuries, and muscle wasting [11].

Panchatikta Ksheer Basti: This involves the administration of medicated milk (Ksheer) prepared with five bitter herbs (Panchatikta). *Panchatikta Ksheer Basti* (enema) works through a combination of detoxification, anti-inflammatory action, tissue nourishment, and immunomodulation. It is highly effective in addressing conditions involving inflammation, joint disorders, and tissue damage, such as ligament tears, arthritis, and autoimmune diseases. By nourishing and strengthening the tissues, improving joint lubrication, and pacifying the aggravated *Vata* and *Pitta* doshas (diseases), this therapy aids in the holistic recovery of injured or inflamed joints and ligaments [12].

Janu Dhara: This involves the continuous pouring of medicated warm oil or herbal decoctions over the knee joint. It can help improve circulation in the knee area, reducing swelling, improving the range of motion in the knee joint, and alleviating fluid accumulation (such as effusion) in the joint, which often occurs after an Anterior Cruciate Ligament (ACL) tear [13].

Janu Basti: In *Janu Basti* (knee joint), a dough ring is placed around the knee joint, and warm medicated oil or herbal decoctions are poured and retained within the ring for a certain period. *Janu Basti* works by reducing inflammation, alleviating pain, improving circulation, relaxing muscles, and promoting tissue healing, making it an effective supportive therapy for ligament injuries [14].

Upanaha Swedana: *Upanaha Swedana* (sudation) acts through a combination of physical and chemical processes to promote healing in ligament tears. The improved blood flow and the presence of beneficial compounds from the herbs may stimulate the regeneration of damaged cells and tissues in the ligament, facilitating the healing process [15].

Cap Palsinuron: This supplement plays a supportive role in the healing of ligament tears by reducing inflammation, alleviating pain, relaxing muscles, and promoting tissue regeneration [16].

Maharasnadi Kwath: This herbal formulation is believed to balance the *Vata* dosha, which is often associated with joint and ligament issues. Its multifaceted approach includes anti-inflammatory effects, pain relief, improved circulation, and nutrient supply, making it a valuable treatment in Ayurvedic practice for musculoskeletal injuries [17].

Lakshadi Guggulu: This formulation functions through a combination of anti-inflammatory, analgesic, and rejuvenating properties, making it beneficial for managing ligament tears. Its ability to promote circulation, detoxification, and tissue regeneration contributes to its effectiveness in enhancing recovery from musculoskeletal injuries [18].

Gandha Taila caps: These capsules are rich in essential oils and nutrients, providing nourishment to the ligaments and surrounding tissues, which supports their repair and regeneration [19].

Transcutaneous Electrical Nerve Stimulation (TENS) physiotherapy: TENS is an effective physiotherapy modality for managing pain and facilitating rehabilitation in patients with ligament tears. By acting on multiple mechanisms, including pain modulation, muscle relaxation, and improved circulation, TENS supports the healing process and enhances functional recovery [20].

Proprioceptive Neuromuscular Facilitation (PNF) physiotherapy: This physiotherapy technique enhances recovery from ligament

tears. By improving proprioception, facilitating muscle activation, and promoting flexibility and strength, PNF plays a critical role in restoring function and preventing re-injury [21].

CONCLUSION(S)

After two months of treatment, significant improvement in the patient's clinical condition was observed. The VAS demonstrated a reduction in the patient's pain levels. Additionally, the tests and assessment parameters used to evaluate the patient's diagnosis revealed considerable improvement. Therefore, this case study suggests that Ayurvedic treatment may be effective in managing medial meniscus tears in their early stages.

REFERENCES

- [1] Stratford PW, Binkley J. A review of the McMurray test: Definition, interpretation, and clinical usefulness. *J Orthop Sports Phys Ther.* 1995;22(3):116-20.
- [2] Agresti D, Jeanmonod R. Apley grind test. In StatPearls [Internet]. 2023. StatPearls Publishing.
- [3] Chivers MD, Howitt SD. Anatomy and physical examination of the knee menisci: A narrative review of the orthopedic literature. *J Can Chiropr Assoc.* 2009;53(4):319-33.
- [4] Begum MR, Hossain MA. Validity and reliability of visual analogue scale (VAS) for pain measurement. *J Med Case Rep Rev.* 2019;2(11):394-402.
- [5] Rai M, Wajpeyi SM, Gamne R. Management of high-grade anterior cruciate ligament tear: A case report on integrating physiotherapy and Ayurvedic therapy. *J Clin Diagn Res.* 2024;18(11):YD04-YD06. Doi: 10.7860/JCDR/2024/73857.20328.
- [6] Luvsannyam E, Jain MS, Leitao AR, Maikawa N, Leitao AE. Meniscus tear: Pathology, incidence, and management. *Cureus.* 2022;14(5):e25121.
- [7] Meghna PP, Soumya Mc, Nishanth K. Ayurveda management of meniscal tear: A case report. *J Ayurveda Med.* 2020;33:16-19.
- [8] Ruparel SJ, Jani J, Ramani H, Sharma A. An Ayurvedic approach to knee ligament injury - A case study. *J Ayurveda Integr Med Sci.* 2017;2(02):235-37.
- [9] Pratap Shankar KM, Nair PP, Sureshkumar G, Swamy GK. Effectiveness of an Ayurvedic treatment protocol in knee ligament injuries – An observatory report. *Muscle Ligaments Tendons J.* 2020;10(3):461-72. Doi: 10.32098/mltj.03.2020.16.
- [10] Ghodela NK, Prasad P, Dudhamal TS. Clinical efficacy of Murivenna oil Parishka in the management of soft tissue injury w.s.r. to achillis tendinopathy - A case study. *Eur J Biomed.* 2017;4(6):496-98.
- [11] Singh N, Dubey S. Evaluate the efficacy of Shashtik-Shali Pinda Sweda and Abhyanga in management of Pakshaghata along with Virechana W.S.R. to hemiplegia. *Int J Ayur Pharma Research.* 2020;8(7):01-12.
- [12] Kapil S, Nirmal B, Gopesh M. Effect of Panchtikta Ksheer Basti in management of avascular necrosis of head of femur (Case Study). *Research and Reviews: A Journal of Ayurvedic Science, Yoga and Naturopathy.* 2018;5(1):21-24.
- [13] Mandhane R, Sawarkar G, Sawarkar P. Contribution of ayurveda for management of sandhivat: A case report. *Drugs Cell Therapies Hematol.* 2021;10(1):3404-09. Available from: <http://www.dcth.org/index.php/journal/article/view/690>.
- [14] Mishra A, Shrivastava V. Evaluation of efficacy of marma therapy with janu basti in the management of janu sandhigata vata (osteoarthritis of knee). *Dev S Interdiscip Int J.* 2020;15:29-45.
- [15] Raskar C, Llike D, Waghmare S, Giri S, Kasle V. Review of sapta upkrama in management of vrana (Wound). *World J Pharm Res.* 2021;10(14):724-32. Available from: https://www.wisdomlib.org/uploads/journals/wjpr/volume-10,-december-issue-14_18156.pdf.
- [16] Wajpeyi SM. Role of Ayurveda in the management of Guillain-Barré syndrome. *Int J Ayurvedic Med.* 2018;9(4):288-92.
- [17] Negi S, Padavi DM. Ayurveda's Approach to avascular necrosis: A case study. *Int Res J Ayurveda Yoga.* 2023;6(9):21-25.
- [18] Bhat S, Chowdhary R. Ayurvedic herbal remedies as bone regenerative materials for surface coating of implants-A preliminary in vitro validation study. *Int J Res Pharm Sci.* 2021;12(3):2178-83.
- [19] Smeeta BK, Rukmani V. Effect of isolated and combined practice of yoga and ayurveda therapy on pain among cervical osteoarthritis patients. *J Ayurveda Integr Med Sci.* 2016;1(01):12-15.
- [20] Safdar F, Sangrasi SA, Waseem MH, Shaikh AG. Low back pain: effectiveness of tens with or without standard physiotherapy treatment. *Prof Med J.* 2017;24(06):818-23.
- [21] Westwater-Wood S, Adams N, Kerry R. The use of proprioceptive neuromuscular facilitation in physiotherapy practice. *Phys Ther Rev.* 2010;15(1):23-28.

PARTICULARS OF CONTRIBUTORS:

1. Postgraduate Scholar, Department of Kayachikitsa, Mahatma Gandhi Ayurved College, Hospital and Research Centre, Salod, Wardha, Maharashtra, India.
2. Professor, Department of Kayachikitsa, Mahatma Gandhi Ayurved College, Hospital and Research Centre, Salod, Wardha, Maharashtra, India.
3. Postgraduate Scholar, Department of Kayachikitsa, Mahatma Gandhi Ayurved College, Hospital and Research Centre, Salod, Wardha, Maharashtra, India.

NAME, ADDRESS, E-MAIL ID OF THE CORRESPONDING AUTHOR:

Dr. Mahesh Sharma,
Postgraduate Scholar, Department of Kayachikitsa, Mahatma Gandhi Ayurved College,
Hospital and Research Centre, Salod, Wardha-442001, Maharashtra, India.
E-mail: maheshkumarsharma369@gmail.com

PLAGIARISM CHECKING METHODS: [\[Jain H et al.\]](#)

- Plagiarism X-checker: Nov 16, 2024
- Manual Googling: Feb 03, 2025
- iThenticate Software: Mar 18, 2025 (6%)

ETYMOLOGY: Author Origin**EMENDATIONS:** 8**AUTHOR DECLARATION:**

- Financial or Other Competing Interests: None
- Was informed consent obtained from the subjects involved in the study? Yes
- For any images presented appropriate consent has been obtained from the subjects. Yes

Date of Submission: **Nov 15, 2024**Date of Peer Review: **Jan 28, 2025**Date of Acceptance: **Mar 20, 2025**Date of Publishing: **Jul 01, 2025**